FIGURE 1 : EFFECT OF ACRYLIC FUNCTIONALITY BLENDING ON FLUX OF HALOPERIDOL EXAMPLE 2 - 58% CARBOXY FUNCTIONAL ACRYLIC / 20% NONFUNCTIONAL ACRYLIC EXAMPLE 4 - 38% CARBOXY FUNCTIONAL ACRYLIC / 40% NONFUNCTIONAL ACRYLIC 48 Time (hrs) COMP. EXAMPLE 1 - 78% CARBOXY FUNCTIONAL ACRYLIC 24 ĊĮ. 8 9 Flux (µg/sq.cm/hr) 90s19vA

OFFER CHEST

FIGURE 2: EFFECT OF ACRYLIC FUNCTIONALITY BLENDING ON FLUX OF NICOTINE




FIGURE 3 : EFFECT OF ACRYLIC FUNCTIONALITY BLENDING ON FLUX OF CLONIDINE




FIGURE 4 : EFFECT OF ACRYLIC FUNCTIONALITY BLENDING ON FLUX OF SCOPOLAMINE 72 48 24 THANSDERM - SCOP EXAMPLE 15 EXAMPLE 16 **EXAMPLE 19 EXAMPLE 20** EXAMPLE 17 **EXAMPLE 18** 1.0-2.0-6.0-5.0-3.0-4.0-Average Flux (µg/sq.cm/hr)

Time (hrs)